


PARTS & MATERIAL LIST

ITEM	PART NAME	MATERIAL
1	Body	ASTM A351 CF8M
2	Screen	316SS
3	Bonnet	ASTM A351 CF8M
4	Body bolt	ASTM A320 B8M
5	Bonnet nut	ASTM A194 8M
6	Gasket	PTFE



NOTES:

- 1 MATERIAL STANDARD:ANSI B16.34
- 2 HYDRO-TEST:API 598
- 3 FACE TO FACE DIMENSIONS:ANSI B16.10
- 4 END FLANGE DIMENSIONS:ANSI B16.5

Performance Specification			
Nominal Pressure	2.0	MPa	
Test Pressure	Intensity test		3.0
	Back seal test		\
	Seal test		\
	Gas test		\
Working Temperature	150	°C	
Medium: water oil & gas			

CLASS	in	L	H
150LB	2"	203	200
	2.5"	216	205
	3"	241	240
	4"	292	290
	5"	356	350
	6"	406	380
	8"	495	480
	10"	533	530
	12"	610	600
	14"	686	650
	16"	762	730
18"	864	830	
20"	914	880	
24"	1067	1000	

STRAINER-"Y" TYPE CLASS150LB			
CLIENT		DWG REV .NO	00
P.O.NO		CLASS	
APPROVED BY		HYDROSTATIC TEST (PSI)	SHELL SEAT
REVIEWED BY		AIR TSET	
MADE BY	GLQ-Y-1-CF8M	DATE	
DRAWING NO	GLQ-Y-1-CF8M	DATE	
GDVAL VALVE			